




Key Features

- IPv6 TCP/UDP connectivity
- HTTP-Server hosting web-GUI with sensor values and configuration page
- RESTful API for access to sensor values and configuration
- Sensor value via MQTT
- Zeroconf networking
 - mDNS resolving unique periNODE-hostname
 - DNS Service Discovery for https service
- Security through end-to-end encryption

Dimensional Drawing & Pinout



This periNODE smart adapter has 2 in-/output channels and connects directly to sensors or actuators with 24V GPIO via a 4*0.25mm² cable. It turns the analogue, passive sensor or actuator into a smart, active network participant that communicates via ethernet with any IT-system or data hub. periNODE permits the configuration of data communication intervals to meet user-specific demand, thereby reducing network traffic and redundant data collection.

Area of application

periNODE GPIO facilitates a wide variety of IoT and IIoT use cases.

Please note that periNODE is not designed for real-time or safety-critical applications.

Supported devices

i.a. all types of switch contacts or proximity switches



Technical Specifications

Perinet Interface

Type	M8 male connector according to IEC 63171-6:2020 (style 6P-M8C without shielding)
Communication	100BASE-T1 Single Pair Ethernet (IEEE 802.3bw)
Power	24VDC input

Field Interface

Type	4x0.25mm ² , PUR, open-ended cable
Signal	24VDC
Power	24VDC output

Housing

Material	Hotmelt
Protection Class	IP67
Temperature Range	-40°C...+70°C

Electromagnetic Compatibility (EMC)	Immunity for industrial environments (EN 61000-6-2:2005, EN 61000-6-2:2005/AC:2005) Emission standard for industrial environments (EN 61000-6-4:2007, EN 61000-6-4:2007/A1:2011)
-------------------------------------	---

Compliance	CE, RohS, WEEE
------------	----------------

Note: We reserve the right to make technical changes to the products and to the content of this document at any time without prior notification. Perinet GmbH does not accept any responsibility for possible errors or incompleteness in this document. We reserve all the rights to this document and the topics and illustrations contained within it. Copying, disclosure to third parties or use of its content - even partially - is forbidden without the prior written consent of Perinet GmbH.