


Key Features

- Conversion between BASE-TX and BASE-T1
- 24VDC power feed
- Bundles data and power for reduced cabling
- Open-ended power and data cables for flexible infrastructure connectivity

Dimensional Drawing & Pinout



This periSTART media converter is the interface between your existing infrastructure and the Perinet Seamless IoT Connectivity system. It converts between Fast Ethernet (BASE-TX) and Single Pair Ethernet (BASE-T1), thereby enabling seamless communication between the field level and your IT-System or data hub, and provides a 24VDC feed to attached sensors and actuators. periSTART bundles data and power supply and transmits both to the Perinet Seamless IoT Connectivity system via the 4-wire periLINE hybrid SPE cable.

Area of application

periSTART Flex features open-ended cable tails for flexible connectivity to your infrastructure. It is the starting point to your field-level sensor and actuator network to facilitate a wide variety of IoT and IIoT use cases. Please note that periSTART is not designed for real-time or safety-critical applications.



Technical specifications

Perinet Interface (Power Out)

Type	M8 female connector according to IEC 63171-6:2020 (style 6P-M8C without shielding)
Communication	100BASE-T1 Single Pair Ethernet (IEEE 802.3bw)
Power	24VDC output

Infrastructure Interface (Data)

Type	Cat 5, 2x2x22AWG, open-ended cable
Communication	100BASE-TX Fast Ethernet (IEEE 802.3u)

Infrastructure Interface (Power In)

Type	4x0.25mm ² , PUR, open-ended cable
Input Voltage	24VDC (+/-10%)
Consumption	Average 528mW (max. 2A throughput current)

Housing

Material	Hotmelt
Protection Class	IP67
Temperature Range	-40°C...+70°C

Electromagnetic Compatibility (EMC)	Immunity for industrial environments (EN 61000-6-2:2005, EN 61000-6-2:2005/AC:2005) Emission standard for industrial environments (EN 61000-6-4:2007, EN 61000-6-4:2007/A1:2011)
-------------------------------------	---

Compliance	CE, RohS, WEEE
------------	----------------

Note: We reserve the right to make technical changes to the products and to the content of this document at any time without prior notification. Perinet GmbH does not accept any responsibility for possible errors or incompleteness in this document. We reserve all the rights to this document and the topics and illustrations contained within it. Copying, disclosure to third parties or use of its content - even partially - is forbidden without the prior written consent of Perinet GmbH.